

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	22	assign\$7 with QOS with link and (eliminat\$3 delet\$3) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:54
L2	84	assign\$7 with (constraint quality QOS) with link and (eliminat\$3 delet\$3) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:55
L3	71	assign\$7 with (constraint quality QOS) with link and (eliminat\$3 delet\$3) with link and fail\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:59
L4	37	3 and @ad<"20020116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 17:04
L5	1	working with spare with forcer and @ad<"20020116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 17:04

S16 0	227	( "4054756"   "4100377"   "4464543"   "4653045"   "4771425"   "4897866"   "4907724"   "4969184"   "4979206"   "4996707"   "5029196"   "5068888"   "5115495"   "5146488"   "5155761"   "5159624"   "5193110"   "5197127"   "5204894"   "5247571"   "5268957"   "5287199"   "5311583"   "5396542"   "5402478"   "5406557"   "5425091"   "5428608"   "5436957"   "5440620"   "5448633"   "5450411"   "5452289"   "5459775"   "5463677"   "5473608"   "5477531"   "5479473"   "5481600"   "5483586"   "5483587"   "5495521"   "5497411"   "5511111"   "5511114"   "5521719"   "5521924"   "5524137"   "5526353"   "5526416"   "5539736"   "5539884"   "5541917"   "5541927"   "5541930"   "5551025"   "5559721"   "5561670"   "5563882"   "5579472"   "5590127"   "5590181"   "5604682"   "5604737"   "5608786"   "5610910"   "5617422"   "5619555"   "5623601"   "5625404"   "5625407"   "5625677"   "5625682"   "5627886"   "5633916"   "5636216"   "5644619"   "5646982"   "5651006"   "5652787"   "5654250"   "5654957"   "5657250"   "5659692"   "5661790"   "5661791"   "5668857"   "5673263"   "5675507"   "5675741"   "5680392"   "5689550"   "5689553"   "5692039"   "5692126"   "5695507"   "5699089"   "5699352"   "5701295"   "5703935"   "5703942"   "5710884"   "5712903"   "5712906"   "5712907"   "5724355"   "5724412"   "5726984"   "5727129"   "5729544"   "5729599"   "5732078"   "5737333"   "5737395"   "5737701"   "5740229"   "5740230"   "5740231"   "5742668"   "5742670"   "5742674"   "5742762"   "5742905"   "5745556"   "5745702").PN. OR ("5749075"   "5751338"   "5751706"   "5751791"   "5764736"   "5764745"   "5764756"   "5764916"   "5768513"   "5768527"   "5781620"   "5782642"   "5784443"   "5784561"   "5787150"   "5790174"   "5790548"   "5790645"   "5793498"   "5799016"   "5799307"   "5802283"   "5802510"   "5802518"   "5805587"   "5809415"   "5812278"   "5812654"   "5813006"   "5818836"   "5828370"   "5828837"   "5835579"   "5835720"   "5838682"   "5838683"   "5839063"   "5844600"   "5844972"   "5848143"   "5848415"   "5850388"   "5850433"   "5850442"   "5854893"   "5856974"   "5859967"   "5862203"   "5862223"   "5862325"   "5864609"   "5865223"   "5867494"   "5867562"   "5867571"   "5870557"   "5872926"   "5873077"   "5873080"   "5881064"   "5883891"   "5884032"   "5884262"   "5892764"   "5892924"   "5905736"   "5905777"   "5905862"   "5905871"   "5905872"   "5907547"   "5907602"   "5907607"   "5915008"   "5923659"   "5931961"   "5940479"   "5946299"   "5959996"   "5970059"   "5970477"   "5995608"   "5999955"   "6003030"   "6009469"   "6011794"   "6016307"   "6020915"   "6029195"   "6031904"   "6049835"   "6064653"   "6069890"   "6131121"   "6154744"   "6175870"   "6188756"   "6243373"   "6377576"   "6385646"   "6430282"   "6563914").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:49
S16 1	2	DCPC and SHN	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:50
S16 2	8	Path near2 find\$3 and SHN	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:54
S16 3	2	Path near2 find\$3 and chng.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:55
S16 4	30544	(pre-plan\$4 preplan\$3 pre-configur\$3 preconfigur\$3 preestablish\$3 pre-establish\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:56
S16 5	10	(pre-plan\$4 preplan\$3 pre-configur\$3 preconfigur\$3 preestablish\$3 pre-establish\$3) and SHN	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:10
S16 6	16	"2,161,847"	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 10:59
S16 7	4010	(pre-plan\$4 preplan\$3 pre-configur\$3 preconfigur\$3 preestablish\$3 pre-establish\$3) and restor\$5	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:15
S16 8	10	("5146452"   "5173689"   "5235599"   "5435003"   "5495471"   "5537532"   "5590119"   "5835482"   "5850505"   "5999286").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:14

S16 9	3	grover.in. and shn	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 15:13
S17 0	173	(pre-plan\$4 preplan\$3 pre-configur\$3 preconfigur\$3 preestablish\$3 pre-establish\$3) and 370/216-228.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/21 13:28
S29 2	323	restor\$5 adj (weight metric cost)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:01
S29 3	3	restor\$5 adj (weight metric cost) and sonet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:01
S29 4	1	spare adj (weight metric cost) and sonet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:02
S29 5	368	(assign\$4 allocat\$3) with (weight metric cost) and sonet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:03
S29 6	84	(assign\$4 allocat\$3) with (weight metric cost) with link and sonet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:11
S29 7	86	(assign\$4 allocat\$3) with (bandwidth) with link with (spare restor\$5 secondary protect\$3 backup back-up standby stand-by)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:32
S29 8	532	(assign\$4) with link with (spare restor\$5 secondary protect\$3 backup back-up standby stand-by)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:58
S29 9	266	S298 and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:30
S30 0	170	S299 and @ad<"20020116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:59
S30 1	10	S299 and @ad<"20020116" and Dijkstra	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:50

S30 2	53	S299 and @ad<"20020116" and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 17:50
S30 3	35	(assign\$4) with link with (spare restor\$5 secondary protect\$3 backup back-up standby stand-by) with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:05
S30 4	158	(assign\$4) with link with (spare restor\$5 secondary protect\$3 backup back-up standby stand-by) with (working primary service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:23
S30 5	77	S304 and @ad<"20020116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:28
S30 6	322	(assign\$4) with (spare restor\$5 secondary protect\$3 backup back-up standby stand-by) with (working primary service) with channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:23
S30 7	225	S306 and @ad<"20020116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:28
S30 8	18	S306 and @ad<"20020116" and shortest	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 18:29
S30 9	94	shortest with weight and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:51
S31 0	1622	path with restor\$5 and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:52
S31 1	735	path with restor\$5 and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.) and (cost weight)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 10:53
S31 2	210	path with restor\$5 and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.) and (cost weight priority) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:30

S31 3	88	path with restor\$5 and ("370"/\$.ccls. "340"/\$.ccls. "714"/\$.ccls. "709"/\$.ccls.) and assign\$4 with (cost weight priority bandwidth) with (restor\$5 protect\$3 spare)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:32
S31 4	76	select\$3 with (path link) with (maxim\$5 largest) with (length size) and packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:41
S31 5	7	select\$3 with (path link) with (maxim\$5 largest) with (length size) and MTU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 13:40
S31 6	173	(path link) with (maxim\$5 largest) with (length size) and MTU	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:49
S31 7	80	working same spare with assign\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:49
S31 8	46	working with spare with assign\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:01
S31 9	9	fonseka.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:51
S32 0	121	working with spare with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:22
S32 1	38	working with spare with capacity with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:49